

MAR 25 2009

Appl. No. 09/934,549
Amdt. dated 03/25/2009
Response to Office Action of 11/26/2008

Attorney Docket No.: TS01-285
N1085-90132

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

1. (Currently Amended) A component transport cart, comprising:

(a) a lower portion, said lower portion comprising:

(i) wheels providing capabilities of motion to said transport cart;

(ii) a platform being substantially planar and having a first bottom surface and a second top surface opposite said first bottom surface, said wheels being directly attached to and disposed underneath said first bottom surface of said platform;

(iii) shock absorbers, being mounted over and directly joined to on said second top surface of said platform and having vertically oriented axes;

(b) an upper portion disposed over said shock absorbers, said shock absorbers forming an interface between said platform and said upper portion, said upper portion comprising:

(i) a front surface being located in a plane;

(ii) a back surface being parallel with said front surface;

(iii) a planar bottom surface being orthogonal to said front and back surfaces;

(iv) a top surface being parallel with said bottom surface;

(v) a left surface being located in a plane orthogonal to said planar bottom surface;

(vi) a right surface being parallel with said left surface;

Appl. No. **09/934,549**
Amdt. dated 03/25/2009
Response to Office Action of 11/26/2008

Attorney Docket No.: TS01-285
N1085-90132

19 (vii) upper portion dividers provided in a plane parallel with said left and right
20 surfaces;

21 (viii) component box support units being mounted in a box support plane and
22 capable of supporting a component box, adjacent rows of component box support units
23 being separated by a distance, said component box support units:

24 (1) extending from said front surface of said component cart to said back surface
25 of said component cart;

26 (2) being arranged along said upper portion dividers and said left and right
27 surfaces;

28 (3) including cushioning units arranged over a surface of said component box
29 support units;

30 (4) including said box support plane angled with respect to said planar bottom
31 surface;

32 (ix) a set of two sliding doors mounted in a plane of said front surface of said
33 component cart; and

34 (x) a handle attached to said upper portion, enabling motion of said component
35 cart.

1 2. (Previously Presented) The component cart of claim 1, further comprising
2 a component box which comprises a reticle box with a reticle disposed inside said
3 reticle box.

1 3. (Previously Presented) The component cart of claim 1, said component
2 cart formed of anti-Electro Static Discharge materials.

Appl. No. **09/934,549**
Amdt. dated 03/25/2009
Response to Office Action of 11/26/2008

Attorney Docket No.: TS01-285
N1085-90132

- 1 4. (Withdrawn) A method of transporting components, comprising the steps
- 2 of:
- 3 loading said components into a component box;
- 4 providing a component cart, said component cart comprising a lower portion

BEST AVAILABLE COPY